

ADDRESS (STREET)

TRIBUTARY

3.

3A.

LOT

Summer 1993

Well No. 2 APPLICATION FOR PERMIT T have propriate Public WATERS OF THE STATE OF WASHINGTON FEB 17 1993 it 18: ☑ GROUND WATER SURFACE WATER \$10.00 MINIMUM STATUTORY EXAMINATION FEE REQUIRED WITH APPLICATION ECOLOGY (GRAY BOXES FOR OFFICE USE ONLY) ACCEPTED PRIORITY DATE TIME COUNTY W.R.I.A. 277-6207 APPLICANT'S NAME - PLEASE PRINT Bus. Tel. Leif Erikson Recreation Association Home Tel. 745-3379 C/O Leif Erikson Hall 783-1274 Ronald Olsen Contact: Other Tel. (ZIP CODE) (STATE) (CITY) 2245 NW 57th Street Seattle WA 98107 DATE & PLACE OF INCORPORATION IF APPLICANT IS A CORPORATION April 11, 1963 State of Washington SOURCE OF SUPPLY IF GROUND WATER IF SURFACE WATER SOURCE (WELL, TUNNEL, INFILTRATION TRENCH, ETC. SOURCE (NAME OF STREAM, LAKE, SPRING, ETC.) (IF UNNAMED, SO STATE) Well SIZE AND DEPTH 8" Diameter Casing 100 Feet Deep USE USE TO WHICH WATER IS TO BE APPLIED (DOMESTIC SUPPLY, IRRIGATION, MINING, MANUFACTURING, ETC.) ACRE FEET PER YEAR ENTER QUANTITY OF WATER REQUESTED USING UNITS OF: CUBIC FEET PER SECOND (CFS) GALLONS PER MINUTE (GPM) OR 100 TIMES DURING YEAR WATER WILL BE REQUIRED Year Around F DOMESTIC USE, NUMBER OF 100 Existing Homes UNITS BY TYPE, E.G. 1-HOME, HOME, 2-CAMPSITES, ETC. 500 New Homes IF MUNICIPAL USE, ESTIMATED POPULATION 20 YEARS FROM TODAY IF IRRIGATION, NUMBER OF ACRES DATE PROJECT WAS OR WILL BE COMPLETED DATE PROJECT WAS OR WILL BE STARTED Fall 1994 LOCATION OF POINT OF DIVERSION/WITHDRAWAL IF IN PLATTED PROPERTY OF (GIVE NAME OF PLAT OR ADDITION) SECTION TOWN RANGE ALSO, PLEASE ENCLOSE A COPY OF THE PLAT AND MARK THE POINT(S) OF WITHDRAWAL OR DIVERSION IF NOT IN PLATTED PROPERTY ON ACCOMPANYING SECTION MAPS, ACCURATELY MARK AND IDENTIFY EACH POINT OF DIVERSION, SHOW NORTH-SOUTH AND EAST-WEST DISTANCES FROM NEAREST SECTION CORNER OR PROPERTY CORNER ALSO, ENTER BELOW THE DISTANCES FROM THE NEAREST SECTION OR PROPERTY CORNER TO THE DIVERSION OR WITHDRAWAL. LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION) RANGE (E. OR W.) W.M. COLINTY SECTION TOWNSHIP N. Skagit NW 1/4 of the NW 1/4 33 5 E 30 4 DO YOU OWN THE LAND ON WHICH THIS SOURCE IS LOCATED, IF NOT, INSERT NAME & ADDRESS OF OWNER LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED ATTACH A COPY OF THE LEGAL DESCRIPTION OF THE PROPERTY (ON WHICH THE WATER WILL BE USED) TAKEN FROM A REAL ESTATE CONTRACT, PROPERTY DEED OR TITLE INSURANCE POLICY, OR, COPY CAREFULLY IN THE SPACE BELOW. The W 1/2 of the SE 1/4 of Sec. 24, TWP 23N., R.4E., W.M. and the SE 1/4 of Sec. 19, TWP 23N, R.5E., W.M. and the NW 1/4 of Sec 30, TWP 23N, R.5E., W.M.; Less that portion of the SW 1/4 of Section 19, TWP 23 N., R.4E., W.M. lying Southeasterly of Highway No. 9; and also, less that portion of the NW 1/4 of

See Attachment A showing the Skagit County

Section 30, TWP 23N., R.4E., W.M. lying Southeasterly of the existing

Critical Water Supply Service Area Map (April 1992).


Northwest Shore of Lake McMurray.

WHAT IS YOUR INTEREST IN THE PROPERTY ON WHICH THE WATER IS TO BE USED (PROPERTY OWNER, LESSEE, CONTRACT PURCHASER, ETC.) Water Purveyor	
ARE THERE ANY EXISTING WATER RIGHTS RELATED TO THE LAND ON WHICH THE WATER IS TO BE USED (INCLUDING WATER	NO
The existing Well No. 1 has groundwater rights of 65 gpm and 100 acre-ft/year	12
under Permit No. 5504-A	
6. DESCRIPTION OF SYSTEM PROPOSED OR INSTALLED	
(FOR EXAMPLE: SIZE OF PUMP, CAPACITY OF PUMP, PUMP MOTOR HORSE POWER, PIPE DIAMETER, NUMBER OF SPRINKLERS, ETC.	
180 gpm pump with 390 TDH	
25 HP Submersible Motor	
4" Discharge Column	
REMARKS	
7.	
8.	
COMPLETE THIS SECTION ONLY IF THIS APPLICATION INCLUDES IRRIGATION AS A USE	
IN ORDER TO IMPLEMENT THE PROVISIONS OF INITIATIVE MEASURE NUMBER 59, THE FAMILY FARM WATER ACT WHICH WAS PASSED BY THE VOTERS	ON
NOVEMBER 3, 1977, WE MUST ASK THE FOLLOWING QUESTIONS: DOES THE TOTAL NUMBER OF ACRES IN WHICH YOU HAVE CONTROLLING INTEREST IN THE STATE OF WASHINGTON EXCEED 2000 ACRES FOR THE FOLLING THREE CATEGORIES:	ow-
1. LANDS THAT ARE BEING IRRIGATED UNDER WATER RIGHTS ACQUIRED AFTER DECEMBER 8, 1977. YES NO	
2. LANDS THAT MAY BE IRRIGATED UNDER APPLICATIONS NOW ON FILE WITH THE DEPARTMENT OF ECOLOGY. YES NO NO NO	Н
IF 10 ACRE-FEET OR MORE OF WATER IS TO BE STORED AND/OR IF THE WATER DEPTH WILL BE 10 FEET OR MORE AT THE DEEPEST POINT, A STORAGE PERMIT MUST BE FILED IN ADDITION TO THIS PERMIT. THESE FORMS CAN BE SECURED, TOGETHER WITH INSTRUCTIONS, FROM THE DEPARTMENT OF ECOLOGY.	
SIGNATURES	
Grall L Olsen	
APPLICANT'S SIGNATURE	***************************************
LEIF ERIKSON RECREATION ASSOCIATION LEGAL LANDOWNER'S NAME (PLEASE PRINT) LEGAL LANDOWNER'S SIGNATURE (OWNER OF PROPERTY OF	
C/O LEIF ERIKSON HALL, ZZ45 NW 57TH ST.	. 1111
LEGAL LANDOWNER'S ADDRESS	***********
FOR OFFICE USE ONLY	
STATE OF WASHINGTON	
DEPARATMENT OF ECOLOGY ss.	
This is to certify that I have examined this application together with the accompanying maps and data,	
and am returning it for correction or completion as follows:	
In order to retain its priority date, this application must be returned to the Department of Ecology, with	77.72.3
corrections, on or before	
	* ** **
Witness my hand thisday of, 19	
ECY 040-1-14 Department of Ecology	F., NAF 11.
Series and the series are the series and the series and the series are the series	

to the section of the

ECY 040-1-14 Rev. 8/91 F

Sec. 30 Twp. 33 N. R. 5 E., W.M.



Scale: 1 inch = 800 feet (each small square = 10 acres)

Show by a cross (X) the location of point of diversion (surface water source) or point of withdrawal (ground water source). For ground water applications, show by a circle (O) the locations of other wells or works within a quarter of a mile.

Indicate traveling directions from nearest town in space below.

From Conway, Washington, travel east along S.R. 534 a distance of 5 miles

to the intersect on of S.R. 9. Turn left and travel 1 mile along S.R. 9

to the entrance to Norway Park. The well site is located in the community

park area adjacent to Lake McMurray.

Detach here

Fold along scale

FEET 0 400 800 1,200 1,600 2,000 2,400 2,800 3,200 3,602 4,000 4,400 4,800 5,200

Detach this scale at the performation, fold excess paper under or cut off excess by cutting along the scale line. This scale corresponds to the SECTION MAP above. You can read feet directly from this scale to outline property and locate points of diversion or withdrawal on the SECTION MAP. Enclose this map along with the application and \$10.00 examination fee.

